

# AB66 INTERCOM

*AB66 Intercom from Jatronic gives you full compatibility with all standard radio and accessory brands:*



Peltor bluetooth headset with full intercom compatibility



PTT adapters (for talkback functionality on the radio communication system)



Integrate as many radios as you like.



Foto: Glenn Kokeberg



Foot PTT for handsfree operation of the radios



Mobile Phone Integration

Foto: G

***AB66 Intercom from Jatronic is a cost efficient solution for small to medium sized vessels requiring intercom and radio communication. AB66 is an open intercom between operators that independently operate communication radios, such as TETRA, UHF og VHF (TX og RX).***

***AB66 Intercom can be configured according to customer specifications.***



Borgeskogen 5, 3160 Stokke | Phone: +47 33 08 36 60 | post@jatronic.no | www.jatronic.no



Example of two users



AISI 316 bracket

# AB66 INTERCOM



*AB66 Intercom from Jatronic is an open intercom between operators that independently operate communication radios, such as TETRA, UHF og VHF (TX og RX).*

AB66 Intercom can be expanded with up to 8 users. Jatronic AB12 PTT switches can be attached to clothing by means of clip or snapped on to a bracket on the user control panel.

AB66 Intercom can be connected to headsets with dynamic microphone and TP-120 connector (NEXUS) 4 pin.

Wireless option is also available enabling use of bluetooth headsets.

## TECHNICAL SPECIFICATIONS

- 12V DC/300 mA
- H: 70 W: 220 D: 140
- Weight: 1,5 kg
- Material: Alubox IP class: 67 waterproof
- PTT: Housing, polyamide PA6 IP class: 67
- CE, EN 60945
- Marine Directive
- MADE IN NORWAY

## ACCESSORY

- Headsets with cable (TP120 NEXUS)
- Bluetooth headsets and PTT
- Connection to Mobile Phone
- Bracket for PTT switch
- Bracket for Intercom
- Custom made cable lengths



# AB66 INTERCOM FROM JATRONIC

*The cost efficient solution for small to medium sized vessels.*

Bluetooth headset for Intercom and radio communication

Phone

Wireless PTT

Water sensor with alarm



## Wireless Connection between a group of people

AB66 Intercom can be expanded with up to 8 users.

